

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Boize on 04/28/2010.

The application has been amended as follows:

Replaced claim 30-32 with the following:

30. (Currently amended) A method for analyzing a scalability of an application server, comprising:

providing a test configuration, wherein the test configuration includes a component quantity generated using a component template, a jar quantity for containing the component quantity, a node quantity, a server quantity, a resource quantity, and resource types;

creating an application based on the test configuration, wherein the application includes a quantity of components that match the provided component quantity and a quantity of jars that matches the provided jar quantity;

deploying, installing, and starting the application on the application server, wherein the application server is implemented on a node, comprising a computerized device, that is part of a hierarchy of nodes that match the provided node quantity, and wherein the application is deployed using a deploy tool of the application server;

creating a client program based on the test configuration, wherein the client program simulates use of the application by a quantity of clients that match the provided component quantity;

Art Unit: 2454

running the client program against the application by conducting a database transaction;

monitoring performance metrics during the deploying, installing, starting and running steps to verify the scalability of the application server, the monitoring comprising monitoring of:

deployment metrics selected from the group consisting of an enterprise archive file size, a heap size, a memory consumption, a processor usage, and an application deploy time during the deploying step;

monitoring installation metrics selected from the group consisting of a memory consumption, a processor usage, and an application install time during the installing step;

monitoring start metrics selected from the group consisting of a memory increase, a processor usage, and an application start time during the starting step; and

monitoring client metrics selected from the group consisting of a memory consumption, a processor usage, a transaction time, and an application run time during the running step;

and

generating output based on the performance metrics, wherein the output includes a comparison of the performance metrics for the provided component quantity and the provided jar quantity, versus a potential performance metric for the application with at least one of a different quantity of components and a different quantity of jars.

31. (Currently amended) A computer-implemented system for analyzing a scalability of an application server, comprising:

at least one processing unit;

a memory operably associated with the at least one processing unit; and

a scalability analysis system storable in the memory_ and executable by the at least one processing unit, the scalability analysis system comprising:

a test configuration system for providing a test configuration, wherein the test configuration includes a component quantity generated using a component template, quantity for containing the component quantity, a node quantity, a server quantity, a resource quantity, and resource types, and wherein the test configuration system provides a graphical user interface for inputting the test configuration;

an application generation system for creating an application based on the test configuration, wherein the application includes a quantity of components that match the provided component quantity and a quantity of jars that matches the provided jar quantity, wherein the application is deployed, installed and started on the application server, and wherein the application server is implemented on a node, comprising a computerized device, that is part of a hierarchy of nodes that match the provided node quantity, and wherein the application is deployed using a deploy tool of the application server;

a client program system for creating a client program based on the test configuration, and for running the client program against the application by conducting a database transaction, wherein the client program simulates use of the application by a quantity of clients that match the provided component count;

a metric monitoring system for monitoring performance metrics while the application is deployed, installed, and started and when the client program is run to verify the scalability of the application server, wherein the metric monitoring system monitors:

deployment metrics selected from the group consisting of an enterprise archive file size, a heap size, a memory consumption, a processor usage, and an application deploy time as the application is being deployed;

Art Unit: 2454

installation metrics selected from the group consisting of a memory consumption, a processor usage, and an application install time as the application is being installed;

start metrics selected from the group consisting of a memory increase, a processor usage, and an application start time as the application is being started; and

client metrics selected from the group consisting of a memory consumption, a processor usage, a transaction time, and an application run time as the client program runs;

and

an output system for generating output based on the performance metrics, wherein the output includes a comparison of illustrates the performance metrics for the provided component quantity and the provided jar quantity, versus a potential performance metric for the application with at least one of a different quantity of components and a different quantity of jars.

32. (Currently amended) A non-transitory computer-readable storage- medium storing computer instructions which when executed, enables a computer system to analyze a scalability of an application server, the computer instructions comprising :

providing a test configuration, wherein the test configuration includes a component quantity generated using a component template, a node quantity, a server quantity, a resource quantity, and resource types;

creating an application based on the test configuration, wherein the application includes a quantity of components that match the provided component quantity;

deploying, installing, and starting the application on the application server, wherein the application server is implemented on a node, comprising a computerized device, that is part of a hierarchy of nodes that match the provided node quantity, and wherein the application is deployed using a deploy tool of the application server;

Art Unit: 2454

creating a client program based on the test configuration, wherein the client program simulates use of the application by a quantity of clients that match the provided component quantity;

running the client program against the application by conducting a database transaction;

monitoring performance metrics during the deploying, installing, starting and running steps to verify the scalability of the application server, the monitoring comprising monitoring of:

deployment metrics selected from the group consisting of an enterprise archive file size, a heap size, a memory consumption, a processor usage, and an application deploy time during the deploying step;

monitoring installation metrics selected from the group consisting of a memory consumption, a processor usage, and an application install time during the installing step;

monitoring start metrics selected from the group consisting of a memory increase, a processor usage, and an application start time during the starting step; and
monitoring client metrics selected from the group consisting of a memory consumption, a processor usage, a transaction time, and an application run time during the running step;

and

generating output based on the performance metrics, wherein the output includes a comparison of the performance metrics for the provided component quantity and the provided jar quantity, versus a potential performance metric for the application with at least one of a different quantity of components and a different quantity of jars.

Art Unit: 2454

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Larry Donaghue whose telephone number is (571)272-3962. The examiner can normally be reached on Monday-Friday 9:00 -6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Larry Donaghue/
Primary Examiner, Art Unit 2454

/NATHAN FLYNN/
Supervisory Patent Examiner, Art Unit 2454